

# Sydney Light Catalogue




**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
30	7	80
30	7	80
30	7	120
30	7	120

Model	Power (W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX2U003W001	3	156	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	34.0x17.0x18.0
MX2U005W001-A	5	260	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	34.0x17.0x18.0
MX2U009W001-B	9	468	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	34.0x17.0x26.2
MX2U011W001-C	11	572	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	34.0x17.0x26.2


# AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340


Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
40	9	125
40	9	145
40	9	125
40	9	145

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX2U005W002	5	275	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	41.5x21.0x27.0
MX2U009W002-A	9	495	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	41.5x21.0x31.0
MX2U005W002-B	5	230	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	41.5x21.0x27.0
MX2U009W002-C	9	350	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	41.5x21.0x31.0



D(mm)	D1(mm)	L(mm)
42	12	140
42	12	85
42	12	110
42	12	105
42	12	172
42	12	105

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX2U011W003	11	400	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	43.5x27.0x32.0
MX2U011W003-A	11		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2*20.5*14.7
MX2U011W003-B	15W		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2*20.5*14.7
MX2U011W003-C	18W		80	3000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2*20.5*14.7
MX2U018W003-D	18	750	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	43.5x27.0x19.0
MX2U018W003-E (Colour)	18		80	3000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2*20.5*14.7

Note:

The yellow shade is most required from customer (Hot sale)




**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
42	12	112
42	12	132
42	12	153
42	12	132
42	12	153


Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MX2U005W004	5	150	80	3000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2x20.5x14.7
MX2U009W004-A	9	228	80	3000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2x20.5x14.7
MX2U018W004-B	18	380	80	3000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	43.2x20.5x17.7
MX2U009W004-C	9	540	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2x20.5x14.7
MX2U018W004-D	18	1080	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	41.2x20.5x17.7



MX2UxxW005,5-A



MX2UxxW006,6-A



D(mm)	D1(mm)	L(mm)
36	9	97
36	9	117
42	12	147
42	12	168

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MX2U005W005	5	220	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	37.5x19.0x21.5
MX2U009W005-A	9	360	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	37.5x19.0x25.5
MX2U011W006	11	460	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	43.5x27.0x34.0
MX2U018W006-A	18	750	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	43.5x27.0x18.5


# AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



MX3UxxW007



MX3UxxW008



MX3UxxW010,10-A



MX3UxxW09,9-A

D(mm)	D1(mm)	L(mm)
42	9	120
42	9	127
42	9	120
42	9	127
	9	55
48	12	164
	12	105
48	12	174
51.5	12	170
51.5	12	180

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MX3U013W007	13	520	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	43.5x27.0x26.0
MX3U013W008	13	520	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	43.5x27.0x30.0
MX3U013W008-A	13	715	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	43.5x27.0x30.0
MX3U015W008-B	15	825	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	43.5x27.0x30.0
MX3U015W008-C	15		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	45.0x23.5x14.3
MX3U020W009	20	1060	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	49.5x25.0x18.0
MX3U026W009-A	26	1350	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	57.0x29.5x20.3
MX3U026W009-B	26		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	49.5x25.0x19.0
MX3U020W010	20	1060	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	53.5x27.3x18.5
MX3U026W010-A	26	1350	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	53.5x27.3x19.5

Note:

The yellow shade is most required from customer (Hot sale)


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
48	12	170
48	12	95

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MX3U030W011	30	380	80	3000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	50.0x25.5x18.0
MX3U030W011-A (Colour)	30		80	3000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	50.0x25.5x18.0

Note:

The yellow shade is most required from customer (Hot sale)




**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340


Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
48	12	164
48	12	174

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MX3U020W012	20	1200	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	49.5x25.0x18.0
MX3U026W012-A	26	1560	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	49.5x25.0x19.0



MX4UxxW013,A,B



MX4UxxW014,A,B



MX4UxxW015



MX4UxxW016,A

D(mm)	D1(mm)	L(mm)
48	9	132
48	9	132
48	9	132
61	12	183
61	12	183
61	12	183
58	12	185
72	14	245
72	14	255
72	14	255

Model	Power (W)	Lumen (lm)	Ra	Life Span	Base Type	Voltage(V)	Colour Temp	PCS/CTN	Carton Measurement
MX4U018W013	18	780	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	50.0x25.5x14.7
MX4U018W013-A	18	990	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	50.0x25.5x14.7
MX4U020W013-B	20	1100	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	50.0x25.5x14.7
MX4U042W014	42	1440	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	63.5x32.0x30.0
MX4U036W014-A	36	2160	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	63.5x32.0x30.0
MX4U042W014-B	42	2520	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	63.5x32.0x30.0
MX4U042W015	42	1440	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	60.0x30.5x20.0
MX4U055W016	55	2100	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	37.5x30.5x26.0
MX4U065W016-A	65	2400	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	37.5x37.5x27.0
MX4U065W016-B	65	4030	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	37.5x37.5x27.0


# AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
48	12	170
	7	65
	9	75
	9	85
	12	183

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX4U042W017	42	550	80	3000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	62.5x31.5x20.0
MX4U015W017-A	15		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	44.5x22.5x26.1
MX4U020W017-B	20		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.0x27.0x15.7
MX4U025W017-C	25		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.0x27.0x15.7
MX4U045W017-D	45	550	80	8000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	63.5x32.0x20.0

Note:

The yellow shade is most required from customer (Hot sale)


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
74	17	248
	14.5	165
	14.5	165
	14.5	165
	17	210

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX4U075W018	75	4650	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	37.5x37.5x27.0
MX4U075W018-A	75		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	39.0x39.0x29.3
MX4U065W018-B	65		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	39.0x39.0x29.3
MX4U065W018-B	65		80	8000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	39.0x39.0x29.3
MX4U095W018-C	95		80	8000	E40	90-130V 170-240V	2700-6400 4000-8500	25	45.5x45.5x40.0

Note:

The yellow shade is most required from customer (Hot sale)


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
88	17	300

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX5U085W019	85	5525	80	6000	E27 B22 E40	90-130V 170-240V	2700-6400 4000-8500	30	88.0x73.0x42.0




**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
100	17	315

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX6U150W020	150	9750	80	6000	E27 B22 E40	90-130V 170-240V	2700-6400 4000-8500	12	53.5x40.5x37


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
125	17	365

Model	Power (W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp.	PCS/CTN	Carton Measurement
MX8U200W021	200	13000	80	6000	E40	90-130V 170-240V	2700-6400 4000-8500	12	64.5x49.0x42.0


# AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
32	9	2t
28	7	3.5t
32	9	4t
48	9	
36	7	4.5t
32	9	4t
32	9	3.6t
36	7	4.5t

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXFS009W022	9		80	3000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	42.5x21.8x22.5
MXFS007W022-A	7		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	36.5x18.5x24.5
MXFS011W022-B	11		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	42.0x21.5x13.8
MXFS011W022-C	11	605	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	51.5x26.3x26.5
MXFS015W022-D	15		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	44.5x22.5x27.5
MXFS018W022-E	18		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	53.0x27.0x16.3
MXFS018W022-F	18		80	3000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	51.5x26.3x30.5
MXFS020W022-F	20		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	46.5x23.5x28.5

Note:

The yellow shade is most required from customer (Hot sale)


## AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
38	7	4.5t
54	12	4t
54	12	5t
75	12	4.5t
75	12	4.5t
75	16	5.25t
75	16.5	5.25t
75	16.5	5.25t
48	9	
48	9	
48	9	

Model	Power (W)	Lumen (lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXFS020W022-G	20		80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	44.5x22.5x27.5
MXFS030W022-H	30		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	68.0x34.0x19.0
MXFS040W022-I	40		80	3000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	65.0x33.5x19.0
MXFS040W022-J (Red)	40		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	65.0x33.5x19.0
MXFS050W022-K	50		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	45.5x45.5x25.8
MXFS055W022-L	55		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	45.5x45.5x49.5
MXFS060W022-M	60		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	45.5x45.5x25.7
MXFS085W022-N	85		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	45.5x45.5x25.7
MXFS085W022-O	85		80	5000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	45.5x45.5x25.7
MXFS013W022-P	13	715	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	51.5x26.3x28.5
MXFS0115W022-Q	15	825	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	51.5x26.3x28.5
MXFS018W023	18	990	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	54.0x27.0x32.0

Note:


The yellow shade is most required from customer (Hot sale)



MXFSxxW024,A,B

MXFSxxW025,A,B

MXFSxxW026,A



D(mm)	D1(mm)	L(mm)
38	8	102
38	8	106
38	8	115
48	9	107
48	9	117
48	9	122
61	12	133
61	12	140

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXFS009W024	9	392	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	41.5x21.3x24.5
MXFS011W024-A	11	504	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	41.5x21.3x25.8
MXFS013W024-B	13	560	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	41.5x21.3x27.0
MXFS011W025	11	540	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	51.5x26.3x26.5
MXFS013W025-A	13	600	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	51.5x26.3x28.5
MXFS015W025-B	15	660	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	51.5x26.3x30.5
MXFS020W026	20	960	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x17.0
MXFS026W026-A	26	1260	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x18.0






MXFSxxW027



MXFSxxW028, A, B



MXFSxxW029A, B, C



D(mm)	D1(mm)	L(mm)
48	9	130
61	12	150
61	12	162
81	17	202
81	17	215
81	17	215
81	17	202

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXFS018W027	18	780	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	54.5x27.0x32.0
MXFS030W028	30	1200	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	68.0x34.0x19.0
MXFS040W028-A	40	1440	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	68.0x34.0x19.2
MXFS050W029	50	1800	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	47.0x47.0x25.5
MXFS060W029-A	60	2400	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	47.0x47.0x25.5
MXFS085W029-B	85	2700	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	47.0x47.0x25.5
MXFS050W029-C	50	3100	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	47.0x47.0x25.5


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
81	17	215
81	17	227
100	19	260
72	14.5	230

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXFS060W029-D	60	3720	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	47.0x47.0x25.5
MXFS085W029-E	85	5525	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	47.0x47.0x25.5
MXFS120W030	120	6500	80	6000	E27 E40	90-130V 170-240V	2700-6400	12	53.3x40.0x32.5
MXFS065W030	65	4030	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.5x42.5x27.0


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
34	7	102
31	7	116
61	12	133
61	12	140

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXHS007W031	7	364	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	38.0x19.0x22.6
MXHS009W031-A	9	468	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	35.0x35.0x29.0
MXHS007W031-B	7	364	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	38.9x19.0x22.6
MXHS009W031-C	9	468	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400	100	35.0x35.0x29.0

**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com


www.mucroxin.com



MXHS015W033



MXHS015W032



D(mm)	D1(mm)	L(mm)
42	9	133
42	9	133
42	9	133
42	9	133

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXHS015W032	15	825	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.5x26.0x15.5
MXHS018W032-A	18	990	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.5x26.0x15.5
MXHS015W033	15	825	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.5x26.0x15.5
MXHS018W033-A	18	990	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.5x26.0x15.5



D(mm)	D1(mm)	L(mm)
42	9	133
42	9	133
42	9	140
52	12	148
52	12	165
52	12	162
52	12	174
58	12	3.5t
58	12	3.5t
58	12	5t
68	12	5t
78	14.5	5t
78	14.5	5t
78	17	5t
78	17	5t
78	16.5	6t
100	17	5.25t




## AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



Model	Power (W)	Lumen (lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXHS015W034	15	600	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.5x26.0x15.5
MXHS015W035	15	450	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.5x26.0x15.5
MXHS015W036	15	600	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	52.5x26.0x15.5
MXHS020W037	20	980	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x17.5
MXHS026W037-A	26	1440	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x18.5
MXHS020W038	20	980	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x19.0
MXHS026W038-A	26	1440	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x20.0
MXHS040W038-B (Colour)	40		80	3000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x18.0
MXHS045W038-C	45		80	3000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x20.5
MXHS045W038-D	45		80	8000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x20.5
MXHS055W038-E	55		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	61.5x39.0x21.0
MXHS065W038-F	65		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	44.0x44.0x27.3
MXHS065W038-G	65		80	8000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	44.0x44.0x27.3
MXHS075W038-H	75		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	44.0x44.0x27.3
MXHS075W038-I	75		80	5000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	44.0x44.0x29.7
MXHS095W038-J	95		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	44.0x44.0x29.7
MXHS120W038-K	120		80	6000	E27 E40	90-130V 170-240V	2700-6400 4000-8500	25	53.0x40.0x32.3

Note:  
The yellow shade is most required from customer (Hot sale)




**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
42	9	133
42	9	133
52	12	148
52	12	165

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage(V)	Colour Temp	PCS/CTN	Carton Measurement
MXHS026W039	26	480	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	48.5x25.0x16.0
MXHS040W040	40	460	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x18.0
MXHS020W040-A	20	1200	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x18.0
MXHS026W040-B	26	1200	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	64.5x33.0x18.0

# AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com


www.mucroxin.com



MXHSxxW041,2


MXHSxxW043,A,B & 044

MXHSxxW045,A,B



D(mm)	D1(mm)	L(mm)
72	14.5	230
72	14.5	230
72	17	240
72	17	267
72	17	240
72	17	267
88	19	320
88	19	320
98	19	320

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXHS065W041	65	4030	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.5x42.5x27.0
MXHS065W042	65	1920	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.5x42.5x27.0
MXHS075W043	75	2500	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	20	42.5x34.0x28.0
MXHS075W043-A	75	4650	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.0x42.5x27.3
MXHS095W043-B	95	6175	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.5x42.5x29.7
MXHS095W044	95	2800	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.5x42.5x29.7
MXHS105W045	105	4000	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	53.5x39.5x36.5
MXHS105W045-A	105	6820	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	53.5x39.5x36.5
MXHS120W045-B	120	7800	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	53.5x40.0x36.5



D(mm)	D1(mm)	L(mm)
51	7	105
54	10	130
54	10	130
54	12	4t
54	12	140
125	16	230

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage(V)	Colour Temp	PCS/CTN	Carton Measurement
MXUM011W046	11	520	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	32.5x32.5x13.2
MXUM018W047	18	840	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.5x42.5x16.0
MXUM023W047-A	23	1080	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	42.5x42.5x16.0
MXUM030W048	30	1800	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	25	64.0x39.5x36.2
MXUM030W048-A	30	1800	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	52.5x52.5x15.7
MXUM085W049	85	5525	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	63.0x47.5x26.5

Note:

The yellow shade is most required from customer (Hot sale)


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
128	16	232
130	17	4t

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage(V)	Colour Temp	PCS/CTN	Carton Measurement
MXUM105W050	105	6825	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	63.0x47.5x26.8
MXUM120W050-A	120		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	63.5x48.0x26.8

Note:

The yellow shade is most required from customer (Hot sale)


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com


www.mucroxin.com



D(mm)	D1(mm)	L(mm)
41	9	102

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0007W051	7	385	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	47.0x23.5x22.5





D(mm)	D1(mm)	L(mm)
41	9	102
41	9	102

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0012W052	12	660	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	48.0x24.5x22.5
MXL0020W052-A	20	1100	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	33.0x33.0x29.5


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
88	9	292

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0020W053	20	1200	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	42.5x42.5x27.3


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
47	12	144
47	12	154

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0025W054	25	1500	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	37.0x37.0x30.5
MXL0035W054-A	35	2100	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	40.0x40.0x32.5


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
54	9	102

Model	Power (W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0018W055	18	990	80	6000	E14 E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	59.0x30.0x28.5


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
72	14	228
72	14	228

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0065W056	65	2030	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	100	52.0x36.0x29.0
MXL0065W056-A	65	4030	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	2.0x36.0x29.0




# AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
72	17	270
72	17	270
72	14	
72	14	
72	16.5	
72	14.5	
72	14	
72	17	
72	17	

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0085W057	85	2700	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	68.0x49.5x34.0
MXL0085W057-A	85	5525	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	50	68.0x49.5x34.0
MXL0065W057-B	65		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	52.0x36.0x29.0
MXL0085W057-B	85		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	48.5x37.5x26.8
MXL0085W057-B	85		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	48.5x37.5x26.8
MXL0085W057-B	85		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	48.5x37.5x26.8
MXL0085W057-B	85		80	5000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	48.5x37.5x26.8
MXL0105W057-B	105		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	62.5x42.0x31.0
MXL0105W057-B	105		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	62.5x42.0x31.0

Note:

The yellow shade is most required from customer (Hot sale)


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com




D(mm)	D1(mm)	L(mm)
88	17	292
88	17	

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXLO105W058	105	4060	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	68.0x49.5x43.0
MXLO105W058-A	105	6825	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	68.0x49.5x43.0
MXLO105W058-C	105		80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	63.5x49.5x34.5

Note:

The yellow shade is most required from customer (Hot sale)



D(mm)	D1(mm)	L(mm)
88	17	292
88	17	292

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0105W059	105	4060	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	68.5x51.5x34.0
MXL0105W059-A	105	6825	80	6000	E27 B22	90-130V 170-240V	2700-6400 4000-8500	12	68.5x51.5x34.0


**AUSTRALIA Mucro Xin Co.Ltd.**

Ph: +612 98649064, Fax: +612 98644520

China: +86 13867804340

Email: info@mucroxin.com

www.mucroxin.com



D(mm)	D1(mm)	L(mm)
125	17	350

Model	Power(W)	Lumen(lm)	Ra	Life Span	Base Type	Voltage (V)	Colour Temp	PCS/CTN	Carton Measurement
MXL0200W060	200	16250	80	6000	E40	90-130V 170-240V	2700-6400 4000-8500	8	92.8x46.9x40.5



AUSTRALIA Mucro Xin Co.Ltd.

Ph: +612 98649064

Fax: +612 98644520

China: +86 13867804340

Email: [info@mucroxin.com](mailto:info@mucroxin.com)

[www.mucroxin.com](http://www.mucroxin.com)